

## Chemical Safety Data Sheet MSDS / SDS

## 1-Bromobutane

Revision Date:2025-02-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : 1-Bromobutane  
CBnumber : CB2852782  
CAS : 109-65-9  
EINECS Number : 203-691-9  
Synonyms : 1-bromobutane,N-BUTYL BROMIDE

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to.....

P391 Collect spillage. Hazardous to the aquatic environment

P337+P313 IF eye irritation persists: Get medical advice/attention.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash skin thoroughly after handling.  
P264 Wash hands thoroughly after handling.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P240 Ground/bond container and receiving equipment.  
P233 Keep container tightly closed.  
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.  
P202 Do not handle until all safety precautions have been read and understood.  
P201 Obtain special instructions before use.

#### **Hazard statements**

H225 Highly Flammable liquid and vapour  
H303 May be harmful if swallowed  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H335 May cause respiratory irritation  
H341 Suspected of causing genetic defects  
H401 Toxic to aquatic life  
H411 Toxic to aquatic life with long lasting effects

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: 1-Bromobutane
Synonyms	: 1-bromobutane,N-BUTYL BROMIDE
CAS	: 109-65-9
EC number	: 203-691-9
MF	: C <sub>4</sub> H <sub>9</sub> Br
MW	: 137.02

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Hydrogen bromide gas Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



■ HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. [acetone](#), sodium bromate, potassium chloride)

Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature

■ FIRE 3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, [acetone](#))

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

□ SPEC.

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb? ). Dispose of properly. Clean up affected area.

### **Reference to other sections**

For disposal see section 13.

---

## SECTION 7: Handling and storage

### **Precautions for safe handling**

### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **Conditions for safe storage, including any incompatibilities**

### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### **control parameter**

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Body Protection

Flame retardant antistatic protective clothing.

##### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

##### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	light brown clear, liquid
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: -112 °C - lit.
Initial boiling point and boiling range	100 - 104 °C - lit.
Flash point	10 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 6,6 %(V) Lower explosion limit: 2,8 %(V)
Vapour pressure	200 hPa at 50 °C 53 hPa at 25 °C
Vapour density	4,73 - (Air = 1.0)
Relative density	1,276 g/cm <sup>3</sup> at 25 °C - lit. No data available
Water solubility	0.6g/l
Partition coefficient: n-octanol/water	log Pow: 2,75
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

## Other safety information

Relative vapor density

4,73 - (Air = 1.0)

---

## SECTION 10: Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Risk of explosion with: Exothermic reaction with: peroxi compounds

Alkali metals Alkaline earth metals Powdered metals

Strong oxidizing agents

### Conditions to avoid

Warming.

### Incompatible materials

fats, various plastics

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 2.761 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Tremor.

Behavioral:Ataxia. Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Irritating to skin. The preceding data, or interpretation of data, was determined using Quantitative Structure Activity Relationship (QSAR) modeling.

#### Serious eye damage/eye irritation

Moderate eye irritation The preceding data, or interpretation of data, was determined using Quantitative Structure Activity Relationship (QSAR) modeling.

#### Respiratory or skin sensitization

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

Inhalation - May cause respiratory irritation.

Remarks: The preceding data, or interpretation of data, was determined using Quantitative Structure Activity Relationship (QSAR) modeling.

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Toxicity**

LD50 orally in Rabbit: 2761 mg/kg

---

## SECTION 12: Ecological information

**Toxicity****Toxicity to fish**

LC50 - Pimephales promelas (fathead minnow) - 36,7 mg/l - 96,0 h

**Persistence and degradability**

Biodegradability Result: 1 % - Not readily biodegradable.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Toxics Screening Level**

The initial threshold screening level (ITSL) for n-butyl bromide is 9 µg/m<sup>3</sup> based on an annual averaging time.

**Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

## Waste treatment methods

### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### Incompatibilities

Vapor may form explosive mixture with air. Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.); contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides. May accumulate static electrical charges and cause ignition of its vapors.

### Waste Disposal

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. All federal, state, and local environmental regulations must be observed

---

## SECTION 14: Transport information

### UN number

ADR/RID: 1126 IMDG: 1126

### UN proper shipping name

ADR/RID: 1-BROMOBUTANE IMDG: 1-BROMOBUTANE IATA: 1-Bromobutane

### Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

### Packaging group

ADR/RID: II IMDG: II IATA: II

### Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

### Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015: Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC): Listed. website: <https://www.mee.gov.cn/>

Korea Existing Chemicals List (KECL): Not Listed. website: <http://ncis.nier.go.kr>

EC Inventory: Listed.

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed. website: <https://emb.gov.ph/>  
Chemical Book



United States Toxic Substances Control Act (TSCA) Inventory: Listed. website: <https://www.epa.gov/>

Vietnam National Chemical Inventory: Listed. website: <https://chemicaldata.gov.vn/>

European Inventory of Existing Commercial Chemical Substances (EINECS): Listed. website: <https://echa.europa.eu/>

New Zealand Inventory of Chemicals (NZIoC): Listed. website: <https://www.epa.govt.nz/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.