# Chemical Safety Data Sheet MSDS / SDS

# **TEMPO**

Revision Date:2025-06-07 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product name	: TEMPO			
CBnumber	: CB6309451			
CAS	: 2564-83-2			
EINECS Number	: 219-888-8			
Synonyms	: tempo,TEPO			
Relevant identified uses of the substance or mixture and uses advised against				
	-			
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.			
Relevant identified uses Uses advised against	: For R&D use only. Not for medicinal, household or other use. : none			
Uses advised against				

# **SECTION 2: Hazards identification**

### GHS Label elements, including precautionary statements

Symbol(GHS)

Telephone



: 010-86108875

Signal word

Danger

### Precautionary statements

P405 Store locked up.

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Hazard statements

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

# SECTION 3: Composition/information on ingredients

### Substance

Product name	: TEMPO
Synonyms	: tempo,TEPO
CAS	: 2564-83-2
EC number	: 219-888-8
MF	: C9H18NO*
MW	: 156.25

# SECTION 4: First aid measures

### Description of first aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **NFPA 704**

3		0
HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid</u> , <u>calcium</u> <u>hypochlorite</u> , hexafluorosilicic acid)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u> )
SPEC. HAZ.		

### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **Reference to other sections**

# SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

### Storage stability

Recommended storage temperature 2 - 8 °C

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly

### fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L **Body Protection** Flame retardant antistatic protective clothing. **Respiratory protection** required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Control of environmental exposure Do not let product enter drains.

# SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	red, orange crystalline, solid, powder, Chunks
Odour	amine-like
Odour Threshold	No data available
рН	8,3 at 9 g/l at 20 °C
Melting point/freezing point	Melting point/range: 36 - 38 °C - lit.
Initial boiling point and boiling range	193°C
Flash point	67 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	0,4 hPa at 20 °C
Vapour density	No data available
Relative density	0,912 g/cm3 at 40 °C No data available
Water solubility	11,6 g/l at 20 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	log Pow: 2,5 at 25 °C - Bioaccumulation is not expected.
Autoignition temperature	not auto-flammable
Decomposition temperature	ca.175 °C -
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available

### Other safety information

No data available

# SECTION 10: Stability and reactivity

### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents Strong acids

### Conditions to avoid

Strong heating.

### Incompatible materials

Metals

Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

Oral

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal

#### Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. - 4 h

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Respiratory or skin sensitization (OECD Test Guideline 406) Germ cell mutagenicity Based on available data the classification criteria are not met. Test Type: Ames test Test system: S. typhimurium Metabolic activation: without metabolic activation Method: OECD Test Guideline 471 Result: positive Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: Mutagenicity (micronucleus test) Result: negative Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available

# SECTION 12: Ecological information

### Toxicity

### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 27,4 mg/l - 48 h (OECD Test Guideline 202)

### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 0 % - Not biodegradable. (OECD Test Guideline 301C)

### **Bioaccumulative potential**

No data available

Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

Discharge into the environment must be avoided.

# SECTION 13: Disposal considerations

### Waste treatment methods

### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

### **UN number**

ADR/RID: 3263 IMDG: 3263 IATA: 3263

### UN proper shipping name

ADR/RID: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (2,2,6,6-tetramethylpiperidinyl-1-

oxyl (free radical))

IMDG: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (2,2,6,6-tetramethylpiperidinyl-1-

oxyl (free radical))

IATA: Corrosive solid, basic, organic, n.o.s. (2,2,6,6-tetramethylpiperidinyl-1-oxyl (free radical))

### Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

### **Packaging group**

ADR/RID: III IMDG: III IATA: III

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

No data available

# **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: https://emb.gov.ph/

Korea Existing Chemicals List (KECL):Not Listed. website: http://ncis.nier.go.kr

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- CAS: Chemical Abstracts Service
- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- STEL: Short term exposure limit
- TWA: Time Weighted Average

### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.