# Chemical Safety Data Sheet MSDS / SDS

# **Dibutyl ether**

Revision Date:2025-03-01 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **Product identifier**

Product name	: Dibutyl ether
CBnumber	: CB2775063
CAS	: 142-96-1
EINECS Number	: 205-575-3
Synonyms	: NBE,dibutyl ether
Relevant identified uses of the	substance or mixture and uses advised against
Relevant identified uses of the second secon	substance or mixture and uses advised against : For R&D use only. Not for medicinal, household or other use.
	·
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 010-86108875

# SECTION 2: Hazards identification

### GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Warning

Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P370+P378 In case of fire: Use ... for extinction.

P337+P313 IF eye irritation persists: Get medical advice/attention.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P273 Avoid release to the environment.	
P271 Use only outdoors or in a well-ventilated area.	
P270 Do not eat, drink or smoke when using this product.	
P264 Wash skin thouroughly after handling.	
P264 Wash hands thoroughly after handling.	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
P260 Do not breathe dust/fume/gas/mist/vapours/spray.	
P240 Ground/bond container and receiving equipment.	
P233 Keep container tightly closed.	
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.	
Hazard statements	
H412 Harmful to aquatic life with long lasting effects	
H402 Harmful to aquatic life	
H370 Causes damage to organs	
H336 May cause drowsiness or dizziness	
H335 May cause respiratory irritation	
H319 Causes serious eye irritation	
H315 Causes skin irritation	
H303 May be harmfulif swallowed	
H226 Flammable liquid and vapour	

# SECTION 3: Composition/information on ingredients

# Substance

Product name	: Dibutyl ether
Synonyms	: NBE, dibutyl ether
CAS	: 142-96-1
EC number	: 205-575-3
MF	: C8H18O
MW	: 130.23

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

# lf inhaled

After inhalation: fresh air.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.


#### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **NFPA 704**



HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. acetone, sodium bromate, potassium chloride)
Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature
FIRE 3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, acetone)

REACT 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene) Chemical Book 

# SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb?). Dispose of properly. Clean up affected area.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Store under inert gas. Air and light sensitive.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton?

Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 10 min

Material tested:Dermatril? P (KCL 743 / Aldrich Z677388, Size M)

**Body Protection** 

Flame retardant antistatic protective clothing.

**Respiratory protection** 

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Appearance	liquid
Odour	No data available
Odour Threshold	No data available
рН	5,2
Melting point/freezing point	Melting point/range: -98 °C - lit.
Initial boiling point and boiling range	142 - 143 °C - lit.
Flash point	28 °C - closed cup - ASTM D 93

Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 8,5 %(V) Lower explosion limit: 0,9 %(V)
limits	
Vapour pressure	4,6 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4 6,4 hPa at 25 °C - Regulation (EC) No.
	440/2008, Annex, A.4
Vapour density	4,5 - (Air = 1.0)
Relative density	0,764 g/cm3 at 25 °C - lit. 0,77
Water solubility	0,113 g/l at 20 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	log Pow: 3,35 Bioaccumulation is not expected.
Autoignition temperature	194 °C at 1.013,25 hPa
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,637 mPa.s at 25 °C
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

Relative vapor density

4,5 - (Air = 1.0)

# SECTION 10: Stability and reactivity

# Reactivity

Vapor/air-mixtures are explosive at intense warming.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agents

Strong acids

Risk of explosion with:

nitrogen trichloride

#### Conditions to avoid

Forms explosive peroxides on prolonged storage Air Light. Heating.

### Incompatible materials

various plastics

### Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

# Acute toxicity LD50 Oral - Rat - male - 7.400 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male - 4 h - 21,6 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male - 7.741 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: Mild skin irritation - 4 h (OECD Test Guideline 404) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Drying-out effect resulting in rough and chapped skin. Dermatitis Serious eye damage/eye irritation Eyes - Rabbit Result: Moderate eye irritation (OECD Test Guideline 405) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Respiratory or skin sensitization (OECD Test Guideline 406) Germ cell mutagenicity Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Carcinogenicity No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure May cause respiratory irritation. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Toxicity LD50 orally in rats: 7.4 g/kg (Smyth)

# SECTION 12: Ecological information

# Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 32,3 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - > 18,76 mg/l

- 48 h

(OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - ca.

19,1 mg/l - 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

static test EC50 - activated sludge - > 1.000 mg/l - 30 min (OECD Test Guideline 209)

Remarks: (above the solubility limit in the test medium)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 5 % - Not readily biodegradable. (OECD Test Guideline 301D)

#### **Bioaccumulative potential**

Bioaccumulation Cyprinus carpio (Carp) - 42 d

- 0,2 mg/l(1,1'-Oxybis(butane))

Bioconcentration factor (BCF): 47 - 83 (OECD Test Guideline 305C)

### Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Toxics Screening Level**

Utilizing the LD50 of 10,814.7 mg/kg, the ITSL algorithm in Rule 232(1)(h), and default values for body weight and inhalation rate (Butterfield, 1996), results in an ITSL = 33 µg/m3 (annual averaging time).

# Other adverse effects

Avoid release to the environment.

# SECTION 13: Disposal considerations

# Waste treatment methods

### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# Waste Disposal

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. All federal, state, and local environmental regulations must be observed.

# SECTION 14: Transport information

### **UN number**

ADR/RID: 1149 IMDG: 1149

# UN proper shipping name

ADR/RID: DIBUTYL ETHERS IMDG: DIBUTYL ETHERS IATA: Dibutyl ethers

### Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

### Packaging group

ADR/RID: III IMDG: III IATA: III

#### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### Special precautions for user

No data available

# **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

# Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

# Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Chemical Book

#### EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

# **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### **Other Information**

An added stabilizer or inhibitor can influence the toxicological properties of this substance, consult an expert. Check for peroxides prior to

#### distillation; eliminate if found.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.