Chemical Safety Data Sheet MSDS / SDS

Methanesulfonic acid

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Methanesulfonic acid				
CBnumber	: CB3433704				
CAS	: 75-75-2				
EINECS Number	: 200-898-6				
Synonyms	: METHANESULFONIC ACID, MsOH				
Relevant identified uses of the substance or mixture and uses advised against					
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.				
Uses advised against	: none				
Company Identification					
Company	: Chemicalbook				
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing				
Telephone	: 010-86108875				

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Danger

Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Hazard statements

H335 May cause respiratory irritation

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage

H302 Harmful if swallowed

SECTION 3: Composition/information on ingredients

Substance

Product name	: Methanesulfonic acid
Synonyms	: METHANESULFONIC ACID, MsOH
CAS	: 75-75-2
EC number	: 200-898-6
MF	: CH4O3S
MW	: 96.11

SECTION 4: First aid measures

Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

Foam Water

Carbon oxides Sulfur oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704

3	1	
HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid</u> , <u>calcium</u> <u>hypochlorite</u> , hexafluorosilicic acid)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. <u>mineral oil</u> , ammonia)
REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)
SPEC. HAZ.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb? H?, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Heat sensitive.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm Break through time: 480 min Material tested:KCL 720 Camapren?

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 60 min

Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Acid-resistant protective clothing

Recommended Filter type: Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the

instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	light yellow liquid
Odour	characteristic
Odour Threshold	No data available
рН	< 1 at 20 °C
Melting point/freezing point	Melting point/range: 17 - 19 °C - lit.
Initial boiling point and boiling range	167 °C at 13 hPa - lit.
Flash point	189 °C - closed cup - DIN 51755 Part 1
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 24,3 %(V) Lower explosion limit: 11,4 %(V)
limits	
Vapour pressure	0,112 hPa at 80 °C - OECD Test Guideline 104
Vapour density	3,32 - (Air = 1.0)
Relative density	1.48 (18/4℃)
Water solubility	ca.1.000 g/l at 20 °C - completely miscible
Partition coefficient: n-octanol/water	log Pow: -2,38 at 20 °C Bioaccumulation is not expected.
Autoignition temperature	535 °C at 1.010 hPa - DIN 51794
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 7,86 mm2/s at 25 °C Viscosity, dynamic: 11,6 mPa.s at 25 °C
Explosive properties	No data available
Oxidizing properties	No data available
λmax	λ: 240-320 nm Amax: <0.4

Other safety information

Dissociation constant -1,54 at 25 °C

Relative vapor density

3,32 - (Air = 1.0)

Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with: strong alkalis Oxidizing agents strong reducing agents Amines Hydrogen fluoride acids strong alkalis Bases Risk of explosion/exothermic reaction with: Water Hydrogen fluoride

Conditions to avoid

Heat.

Strong heating.

Incompatible materials

various metals, i.a., Iron, Copper, brass, Mild steel

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 648,7 mg/kg (OECD Test Guideline 401) LD50 Dermal - Rabbit - male and female - 2.000 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Serious eye damage/eye irritation Eyes - Rabbit Result: Causes burns. (OECD Test Guideline 405) Respiratory or skin sensitization Buehler Test - Guinea pig Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

Result: negative

Test Type: In vivo micronucleus test Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Toxicity

LD50 orally in Rabbit: 649 mg/kg LD50 dermal Rabbit 200 - 2000 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 73 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 70 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 12 - 24 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 0,5 h (OECD Test Guideline 209)

Persistence and degradability

Biodegradability aerobic Chemical oxygen demand - Exposure time 28 d Result: 90 - 100 % - Readily biodegradable.

(OECD Test Guideline 301A)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Toxics Screening Level

The initial threshold screening level (ITSL) for methane sulfonic acid is 1.4 µg/m3 based on an annual averaging time.

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 3265 IMDG: 3265 IATA: 3265

UN proper shipping name

ADR/RID: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulfonic acid) IMDG: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Methanesulfonic acid) IATA: Corrosive liquid, acidic, organic, n.o.s. (Methanesulfonic acid)

Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

Packaging group

ADR/RID: II IMDG: II IATA: II

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous ChemicalsChina Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/Measures for Environmental Management of New Chemical SubstancesVietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.krEuropean Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

- STEL: Short term exposure limit
- TWA: Time Weighted Average

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.